# **Refine Search**

#### Search Results -

Terms	Documents	
L1 or L5	25	

US Pre-Grant Publication Full-Text Database


US Patents Full-Text Database

US OCR Full-Text Database

Database:

EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins

Search:









## Search History

## DATE: Thursday, December 18, 2003 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
DB=P	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR		
<u>L6</u>	L1 or 15	25	<u>L6</u>
<u>L5</u>	L4 and l2	16	<u>L5</u>
<u>L4</u>	((user\$ or client\$) same (network\$ or server\$) same (creat\$ or generat\$) same hierarch\$).clm.	88	<u>L4</u>
<u>L3</u>	L2 and l1	3	<u>L3</u>
<u>L2</u>	((user\$ or client\$) same (network\$ or server\$) same (creat\$ or generat\$) same hierarch\$).ab.	233	<u>L2</u>
<u>L1</u>	((user\$ or client\$) same (network\$ or server\$) same (creat\$ or generat\$) same hierarch\$).ti.	9	<u>L1</u>

#### **END OF SEARCH HISTORY**

# **Refine Search**

#### Search Results -

Terms	Documents	
L1 or L5	25	

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database

US OCR Full-Text Database


Database:

EPO Abstracts Database JPO Abstracts Database


Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:











### **Search History**

# DATE: Thursday, December 18, 2003 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> Count	<u>Set</u> <u>Name</u> result set
DB=P	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR		
<u>L6</u>	L1 or 15	25	<u>L6</u>
<u>L5</u>	L4 and 12	16	<u>L5</u>
<u>L4</u>	((user\$ or client\$) same (network\$ or server\$) same (creat\$ or generat\$) same hierarch\$).clm.	88	<u>L4</u>
<u>L3</u>	L2 and 11	3	<u>L3</u>
<u>L2</u>	((user\$ or client\$) same (network\$ or server\$) same (creat\$ or generat\$) same hierarch\$).ab.	233	<u>L2</u>
<u>L1</u>	((user\$ or client\$) same (network\$ or server\$) same (creat\$ or generat\$) same hierarch\$).ti.	9	<u>L1</u>

### END OF SEARCH HISTORY

# Freeform Search

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database US OCR Full-Text Database

Database: EPO Abstracts Database JPO Abstracts Database **Derwent World Patents Index** 

**IBM Technical Disclosure Bulletins** 

Term:

((user\$ or client\$) same (network\$ or server\$) same (creat\$ or generat\$) same hierarch\$).clm.

Display:

10 Documents in Display Format: - Starting with Number 1

Generate: O Hit List O Hit Count O Side by Side O Image

Search - Clear

Interrupt

### **Search History**

DATE: Thursday, December 18, 2003 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> Count	Set Name result set
DB=U	ISPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ		
<u>L7</u>	L3 and L4	3	<u>L7</u>
<u>L6</u>	L3 and L4 and L5	0	<u>L6</u>
<u>L5</u>	((user\$ or client\$) same (network\$ or server\$) same (creat\$ or generat\$) same hierarch\$).clm.	47	<u>L5</u>
<u>L4</u>	((user\$ or client\$) same (network\$ or server\$) same (creat\$ or generat\$) same hierarch\$).ab.	193	<u>L4</u>
<u>L3</u>	((user\$ or client\$) same (network\$ or server\$) same (creat\$ or generat\$) same hierarch\$).ti.	9	<u>L3</u>
<u>L2</u>	((user\$ or client\$) same (network\$ or server\$) same (creat\$ or generat\$) same hierarch\$).ti.	9	<u>L2</u>
<u>L1</u>	(user\$ or client\$) same (network\$ or server\$) same (creat\$ or generat\$) same hierarch\$	943	<u>L1</u>

END OF SEARCH HISTORY

L Number	Hits	Search Text	DB	Time stamp
8	73	4631664.uref.	USPAT;	2003/12/18 12:09
1			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	1
			IBM TDB	l i
9	1	4631664.uref. and ((hierarch\$7 same	USPĀT;	2003/12/18 12:10
i l		container) and (creat\$3 same data))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM TDB	
10	1	(4631664.uref. and ((hierarch\$7 same	USPAT;	2003/12/18 12:10
		container) and(creat\$3 same data)))	US-PGPUB;	
]		and(client\$2 or user\$2)	EPO; JPO;	
1			DERWENT;	
			IBM TDB	

			<del>_</del> _	
13	106	( (hierarch\$7 same container) and	USPAT;	2003/12/18 12:19
		((client\$2 or user\$2)near3 (creat\$3 same	US-PGPUB;	
		data))) and(data management)	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
14	0	(( (hierarch\$7 same container) and	USPAT;	2003/12/18 12:20
	İ	((client\$2 or user\$2)near3 (creat\$3 same	US-PGPUB;	
İ		data))) and(data management)) and(client!	EPO; JPO;	
		near terminal! same user\$2)	DERWENT;	
15	0	(( (hierarch\$7 same container) and	IBM_TDB USPAT;	2003/12/18 12:31
13		((client\$2 or user\$2)near3 (creat\$3 same	US-PGPUB;	2003/12/18 12:31
		data))) and(data management)) and("client	EPO; JPO;	
		terminal" with user\$2)	DERWENT;	
			IBM TDB	
16	74	( (hierarch\$7 same container) and	USPAT;	2003/12/18 12:21
}		((client\$2 or user\$2)near3 (creat\$3 same	US-PGPUB;	
		data))) and(concept or conceptual near3	EPO; JPO;	:
		information)	DERWENT;	
		l	IBM_TDB	
17	74	' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	USPAT;	2003/12/18 12:30
		((client\$2 or user\$2)near3 (creat\$3 same	US-PGPUB;	
		<pre>data))) and(concept or conceptual near3 information)) and stor\$3</pre>	EPO; JPO;	
	1	Intormacton), and Scores	DERWENT; IBM TDB	
18	18023	707/\$.ccls.	USPAT;	2003/12/18 12:30
10	10023	70774.0013.	US-PGPUB;	2003/12/18 12.30
	1		EPO; JPO;	
			DERWENT;	
			IBM TDB	
19	77	707/\$.ccls. and("client terminal" with	USPĀT;	2003/12/18 12:31
		user\$2)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
20		/707/6 col	IBM_TDB	0000/10/10 10 10
20	0	(707/\$.ccls. and("client terminal" with	USPAT;	2003/12/18 13:18
		user\$2)) and((hierarch\$7 same container) and ((client\$2 or user\$2)near3 (creat\$3	US-PGPUB; EPO; JPO;	
		same data)))	DERWENT;	
		Same data, , ,	IBM TDB	
21	0	(707/\$.ccls. and("client terminal" with	USPAT:	2003/12/18 12:32
		user\$2)) and((hierarch\$7 same container)	US-PGPUB;	
		and (creat\$3 same data))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
22	0	(707/\$.ccls. and("client terminal" with	USPĀT;	2003/12/18 14:50
		user\$2)) and(hierarch\$7 same container)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
23	3510	707/100,102,103.ccls.	USPAT;	2003/12/18 13:17
		, 100, 100, 100, 100, 100, 100, 10	US-PGPUB;	2003/12/10 13:1/
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
24	3	- / / /	USPĀT;	2003/12/18 14:48
		container) and ((client\$2 or user\$2)near3	US-PGPUB;	
		(creat\$3 same data)))	EPO; JPO;	
			DERWENT;	
25	210	707/100 102 103 2010	IBM_TDB	2002/12/12 14 15
23	219	707/100,102,103.ccls. and((client/server\$2 or user\$2)near3 (creat\$3 same data))	USPAT;	2003/12/18 14:49
		or agethalisears (creaths same data))	US-PGPUB; EPO; JPO;	
]			DERWENT;	
			IBM TDB	
26	2	(707/100,102,103.ccls.	USPAT;	2003/12/18 14:52
		and((client/server\$2 or user\$2)near3	US-PGPUB;	
		(creat\$3 same data))) and(hierarch\$7 same	EPO; JPO;	
		container)	DERWENT;	
			IBM_TDB	
	-			

27	3252	707/100,102,103.ccls. and(client terminal	USPAT;	2003/12/18 14:53
		users)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
28	81	707/100,102,103.ccls. and(client same	USPAT;	2003/12/18 14:54
		terminal same users)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
29	4	(707/100,102,103.ccls. and(client same	USPAT;	2003/12/18 14:55
		terminal same users)) and(creat\$3 same	US-PGPUB;	l i
		hierarch\$7 with data)	EPO; JPO;	1
			DERWENT;	l l
			IBM_TDB	1
-	853	hierarch\$7 same container	USPAT;	2002/12/18 19:19
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

11	0	(((("5870585")	or ("5896299") or	USPAT;	2003/12/18 12:17
		("6167363") or	("5831869") or ("5892678")	US-PGPUB;	
			or ("6023565") or	EPO; JPO;	
			("6099579") or ("6118938")	1 '	
		1 '	or ("6295632") or	IBM TDB	
		1	("6321295") or ("6324672")	_	
		1 .	or ("4771375") or		
		1	("6097382") or ("4631664")		
			or ("5224100") or		
			("5390159") or ("5479373")		
			or ("5596564") or		1
			("5732265") or ("5798995")		
		1 '	or ("5912674") or		
		1 '	("6128717") or ("6160850")		
			or ("4253087") or		
	İ	("4555771") or	("4622632") or ("4756019")		
		or ("4912340")	or ("4989695") or		
		("5003464") or	("5179718") or ("5210868")		
		or ("5237679")	or ("5241641") or		
	1		("5305322") or		1
		1 .	N.) or ((("5385297") or		
			("5471580") or ("5493509")		
		1	or ("5668965") or		
			("5715189") or ("5737526")		
		1 '	or ("5764658") or		
		1 '	· · · · · · · · · · · · · · · · · · ·		
			("5787256") or ("5790819")		
			or ("5832215") or		
			("5910801") or ("5926432")		
		1 '	or ("5953257") or		1
			("6021193") or ("6034958")		
			or ("6075728") or		
			("6175518") or ("6191999")		
			or ("6222941") or		
		("6222941") or	("6249449") or ("4245306")		
		or ("4253146")	or ("4253144") or		
		("4254411") or	("4271507") or ("4310902")		
	i	or ("4405951")	or ("4422145") or		ļ
	ĺ	("4425615") or	("4429385") or ("4453216")		
	i	or ("4489381")	or ("4550407") or		
		("4550367") or	("4562530") or ("4761737")		
		or ("4794596")	).PN.) or ((("4885742") or		
			("4944023") or ("4994998")		
			or ("5023776") or		
			("5208899") or ("5214502")		
			or ("5228098") or		
			("5262959") or ("5280450")		
			or ("5285193") or		
			("5305375") or ("5319794")		
			or ("5325526") or		
			("5331633") or ("5341223")		
			or ("5345517") or		
			("5361342") or ("5361985")		
			or ("5383142") or		1
			("5412808") or ("5426424")		1
			or ("5434838") or		1
			("5446575") or ("5448654")		1
			or ("5450601") or		1
			("5475511") or ("5483474")		1
			or ("5546571") or		1
			("5586258") or ("5594883")		
		or ("5610660")	).PN.)) and ((hierarch\$7		
		same container	) and ((client\$2 or		1
		user\$2)near3 (d	creat\$3 same data)))		1
12	106		ame container) and	USPAT;	2003/12/18 12:31
			user\$2)near3 (creat\$3 same	US-PGPUB;	
		data))		EPO; JPO;	1
		1		1 '	1
				I DERWENT:	
				DERWENT; IBM TDB	